



For over 35 years Jolly Safety Footwear has been a leading essential supplier of professional firefighting footwear throughout Europe. Recently, Jolly was selected as the preferred supplier of Firefighting & Rescue Footwear to the UK Collaborative Framework which is accessible to all Fire and Rescue Services across the United Kingdom.



A focus on introducing innovative materials, superior safety and premium comfort has made Jolly a market leader in the field of protective footwear for firefighters and a reference point for all professionals.

In 2019 Jolly partnered with Pac Fire to bring the most comfortable fire boots available on the market today to Australasia.

## PRODUCT SPECIFICATIONS

Product Code	9381 GA <i>(please specify a size when ordering)</i>
Application	Structural Firefighting
Sizes	UK Sizes 3.5 (EU36), 4 (EU37), 5 (EU38), 6 (EU39), 6.5 (EU40), 7 (EU41), 8 (EU42), 9 (EU43), 9.5 (EU44), 10 (EU45), 11 (EU46), 12 (EU47), 12.5 (EU48), 13 (EU49), 14 (EU50), 15 (EU51)
Certification	AS/NZS 4821:2014 EN 15090:2012 F2A H13 CI AN SRC Category III P.P.E



## FIRE GUARD

Jolly Fire Guard structural firefighting footwear provides the wearer with the perfect fit without compromising on protection.

**A. UPPER:** 2.0-2.2mm full grain leather, black, water repellent treated, and microfiber inserts.

**B. LINING:** GORE-TEX® performance comfort footwear. Waterproof, breathable and moderately insulated for use in a wide range of temperatures (not pictured).

**C. TOECAP:** lightweight, asymmetric aluminium. Resists impacts up to 200 joules (not pictured).

**D. HEEL CAP:** 1.8mm resinated synthetic bonded fabric, thermally mouldable, glued to upper (not pictured).

**E. SOLE:** nitrile rubber, cemented with red wear level indicators. Provides excellent grip even on uneven ground. Heat resistant at 300°C, antistatic, oil and petrol resistant and high wear-resistant.

**F. FOOTBED:** moisture transmitting felt, anatomically shaped. Heel incorporates EVA foam insert preserving foot anatomy, providing a high level of comfort and increasing impact absorption (not pictured).

**G. THREAD:** yellow Kevlar® Filament - inherently flame-retardant.

**H. LACES:** black, round Nomex® laces - inherently flame-retardant. Treated to be water repellent.

**I. REFLECTORS:** yellow, reflex Scotchlite® 3M material.

**J. ZIP CLOSURE:** Jolly rapid off-system with total opening zipper.

**K. ANKLE PROTECTION SYSTEM** consisting of heat moulded material combined with a special 3D memory foam padding resulting in high levels of shock absorption.

**L. FRONT AND REAR FLEXORS** provide improved flexibility and comfort.

**M. FRONT PULL ON LOOP**

**N. REAR PULL-ON LOOP** made from reinforced leather to facilitate fast donning

**O. ABRASION RESISTANT RUBBER PROTECTIONS** fitted to the front and rear of each boot

**P. SIDE ANTI-PERFORATION PANELS** made from a multilayer fabric, with a perforation resistance of 1100 Newtons (not pictured).

## JOLLY SIZING CONVERSION CHART

### STANDARD SIZES

EU SIZE	36	37	38	39	40	41	42	43
UK SIZE	3.5	4	5	6	6.5	7	8	9


### STANDARD SIZES

### SPECIAL

EU SIZE	44	45	46	47	48	49	50	51
UK SIZE	9.5	10	11	12	12.5	13	14	15



SHOE SIZE  
[millimeters]



FOOT SIZE  
[millimeters]