



SUPERCHARGE YOUR RESPONSE TIME



DUAL POWER



LIGHTWEIGHT
& PORTABLE

Blowhard Fans have single handedly revolutionised the way ventilation in emergency situations is approached.

Blowhard's BH-20 PPV fan has been designed for high pressure to effectively drive ventilation. The high velocity jet stream produced by the BH-20 assists in building pressure to effectively clear smoke from the structure.

Boasting unique design and construction, the BH-20 is lighter, smaller, incredibly durable and more powerful than other fans on the market today.

The soft start motor can be powered with both a mains outlet or Blowhard's long lasting, Li-Ion battery pack. This feature allows the fan to be set up faster and started instantly - in some instances cutting down response time by up to 6 minutes.



FAN FEATURES

- Dual powered operates on battery and mains power
- Soft start, variable speed motor
- Maximum Amps 7amps at 110V / 3.5amps at 220V
- Recover 80% charge in 1 hour / full charge in 3 hours (no memory)
- Runtime: 35 minutes at 10,500CFM or 60 minutes at 9,000CFM
- Includes shoulder strap for easy deployment and repositioning
- Easy to operate controls
- Produces high velocity jet stream

- Starts instantly on battery power
- Doubles as PPV fan
- Weighs only 27kgs

PRODUCT SPECIFICATIONS	
Product Code	PPVBH-20DP
Application	Structural Firefighting
Certification	Ingress Protection: IP66



EFFECTIVE ACTIVE COOLING



Firefighters experience high amounts of physical and mental stress when attending an incident. When combined with the environmental factors like extreme heat, humidity or cold, firefighters can find themselves in conditions that may have adverse impacts on their health and well-being.

While these conditions cannot be eliminated, dangers can be mitigated with proper rest and recovery measures outlined in NFPA 1584.

The Misting Ring transforms your Blowhard fan into an effective recovery tool that assists in combating heat stress.

The Blowhard Misting Ring fits quickly to the front of Blowhard Fans. When attached to a regular, domestic hose, the Misting Ring creates a super fine "mist", which aids in firefighter recovery after training or an incident.



MISTING RING FEATURES

- Creates super fine mist effective in firefighter recovery
- Made from corrosion resistant stainless steel and brass components
- Durable construction, suitable for deployment at fire or emergency scenes
- Magnetically attaches to the front of Blowhard Fans
- Attaches to a standard garden hose
- Includes 8 low pressure "misting" nozzles
- 2 spare misting nozzles included inside the pack
- Inline 40mic filter prevents debris from clogging the misting nozzles

- Effective active cooling measure, as outlined in NFPA 1584
- Weight: 1.3kgs
- Dimensions: 42 x 35 x 4cm

PRODUCT SPECIFICATIONS

Product Code	PPVMR+
Application	Structural Firefighting
Certification	NFPA 1584 (active cooling measures)